

EvenGlow[™] Two-Sided Side Load Frame with SmoothSlide[™] (non-hanging)

Assembly Instructions



Insert your Graphic & PETG.
The PETG goes in front of your graphic.
Repeat for the other side of your frame.



Cleaning Instructions.
Optical surface, handle with care.
Do not use bare hands.
Wipe with a clean, dry cloth.



Exclusive SmoothSlide[™] feature in top and side loading models makes changing out the thinnest of graphics a breeze.

EvenGlow[™] Snap Frame is a trademark of Rose Displays, Ltd.
Neither the manufacturer nor any sales agent may be held liable for injury, loss or damage resulting from the use of these products.
EvenGlow is patent pending.


For any maintenance questions, please contact Rose Displays.





EvenGlow[™] Two-Sided Top Load Frame Basic Hanging with SmoothSlide™


Assembly Instructions

















Attach Eye Bolts.

Important: Frames are heavy at large size. Use appropriate hanging hardware to suspend.

Cleaning Instructions.


Optical surface, handle with care. Do not use bare hands. Wipe with a clean, dry cloth.

Exclusive SmoothSlide™ feature in top and side loading models makes changing out the thinnest of graphics a breeze. Insert your Graphic & PETG. The PETG goes in front of your graphic. Repeat for the other side of your frame.

Please Note For single sided illuminated frames, make sure the frame is facing in the intended direction prior to finalizing your hanging.












EvenGlow™ Two-Sided Side Load Frame SmoothSlide[™] with ThinVisible[™]

Assembly Instructions









Insert power supply and attach mounting box to the track. (Mounting box can also be attached to ceiling directly using longer screws included.)

Please Note: Positioning the mounting box in close proximity is preferred. (18" or less) Otherwise a longer power extension cord may be required.









Exclusive

SmoothSlide™ feature in top and side loading models makes changing out the thinnest of graphics a breeze.





Insert your Graphic & PETG. The PETG goes in front of your graphic. Repeat for the other side of your frame.



EvenGlow™ Snap Frame is a trademark of Rose Displays, Ltd. Neither the manufacturer nor any sales agent may be held liable for injury, loss or damage resulting from the use of these products. EvenGlow is patent pending.


For any maintenance questions, please contact Rose Displays.







EvenGlow[™] **Two-Sided Top Load Frame SmoothSlide[™] with ThinVisible[™]**


Assembly Instructions









Insert power supply and attach mounting box to the track. (Mounting box can also be attached to ceiling directly using longer screws included.)





Mounting Box


Please Note: Positioning the mounting box in close proximity is preferred. (18" or less) Otherwise a longer power extension cord may be required.



Exclusive

SmoothSlide™ feature in top and side loading models makes changing out the thinnest of graphics a breeze.





Insert your Graphic & PETG. The PETG goes in front of your graphic. Repeat for the other side of your frame.





For any maintenance questions, please contact Rose Displays.



